

filed November 11, 1999, claims priority from U.S. Provisional Application 60/122,747, filed February 26, 1999.

IN THE CLAIMS

Please amend the claims as follows:



- 5. (Once Amended) A recombinant host <u>cell</u> comprising the recombinant [vecotor] vector of claim 4.
- 9. (Once Amended) The isolated nucleic acid of claim 2 wherein the [polynucleotide] nucleic acid hybridizes under stringent conditions with the nucleotide sequence shown in Figure 1A or 1B.

Please add the following claims:

- 10. (New) A method for diagnosing squamous cell carcinoma in a subject, comprising:
 determining the presence, absence, or amount of expression of the DESC1 gene in a
 tissue sample obtained from the subject, wherein the diagnosis of squamous cell carcinoma is
 based on the presence, absence, or amount of expression of the DESC 1 gene in the sample.
- 11. (New) The method of claim 10 wherein the tissue sample is an epithelial tissue sample from the head, neck, oral mucosa, tonsils or skin of the subject.
- 12. (New) The method of claim 10 wherein the level of DESC 1 gene expression is determined using a nucleic acid probe which hybridizes to a transcript of the DESC 1 gene.
- 13. (New) The method of claim 10 wherein the level of expression of the DESC 1 gene is determined using a polymerase chain reaction and primers which are complementary to specific regions of the DESC 1 gene.
- 14. (New) The method of claim 10 wherein the level of expression of the DESC 1 gene is determined by assaying for the presence, or absence, or a change in the levels of the protein encoded by the DESC 1 gene in the sample.
- 15. (New) The method of claim 14 wherein an antibody which is immunospecific for the protein encoded by the DESC 1 gene is employed in the assay.
- 16. (New) A method for diagnosing prostate carcinoma in a subject, comprising: